Recombinant Human Angiopoietin-1/ANG1 (N-Fc)

Catalog Number: PKSH033955

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Species Mol_Mass Accession Bio-activity Properties | Human 53.9 kDa Q15389 Not validated for activity |
|--|---|
| Accession Bio-activity | Q15389 |
| Bio-activity | |
| · | Not validated for activity |
| Properties | |
| | |
| Purity | > 95 % as determined by reducing SDS-PAGE. |
| Endotoxin | < 1.0 EU per µg of the protein as determined by the LAL method. |
| Storage | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at $<$ -20°C for 3 months. |
| Shipping | This product is provided as lyophilized powder which is shipped with ice packs. |
| Formulation | Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. |
| | Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before |
| | lyophilization. |
| | Please refer to the specific buffer information in the printed manual. |
| Reconstitution | Please refer to the printed manual for detailed information. |
| Data | |

> 95 % as determined by reducing SDS-PAGE.

Background

Angiopoietin-1 (Ang-1) is a secreted glycoprotein that plays a critical role in the development and maintenance of the vascular system. The angiopoietin (ANGPT)-TIE2/TEK signaling pathway is essential for blood and lymphatic vascular homeostasis. ANGPT1 is a potent TIE2 activator, whereas ANGPT2 functions as a context-dependent agonist/antagonist. Angiopoietin-1 can protect against pulmonary arterial hypertension, reduce the extent of fibrosis and remodeling in infarcted diabetic myocardium, and enhance tumor progression and metastasis.

For Research Use Only